



demte



DT WIRING DUCTS

Catalogue'26

www.demte.com.tr

WIRING DUCTS



We have raised our quality on worldwide standarts with UL Certificate which is one of the most reputable quality certificates in the world.

Advantageous, user-friendly and innovative, with proved quality on a worldwide scale. The DTWD Wiring Ducts series is now ready to use safely in industry with  UL certification.

Ribs Space 6 mm

Wiring ducts ribs designed as 6 mm width of single quotation will be sufficient for the transition from the thicker to breakage of cables.



The Breaking of Ribs

There are ribs lines that allow the desired ribs to be broken at angle of 60 degrees easily and without using any apparatus. In this way, you will get a comfortable and burr-free image.




The Design of Ribs Slot

Thanks to the round hole design on the ribs, you can remove your signal cables from the channel separately from other cables.




Wall Holes Design

Can be used with the cable tie thanks to additional holes on the sides .



Wall Breaking

The combination of the Ducts 90 degrees corners are smooth and Burr-free integration provides. Thanks to this you will make your Panel look more elegant and rigid



RAL 7030

Conform to the International standards.


WIRING DUCTS

Wiring Ducts (Included Cover)

Code	Dimension (mm)	Colour	Pack (piece)
DTWD 2525G	25x25	RAL 7030 Grey	60x2 m.
DTWD 2540G	25x40	RAL 7030 Grey	50x2 m.
DTWD 2560G	25x60	RAL 7030 Grey	30x2 m.
DTWD 2580G	25x80	RAL 7030 Grey	24x2 m.
DTWD 2510G	25x100	RAL 7030 Grey	16x2 m.
DTWD 4025G	40x25	RAL 7030 Grey	40x2 m.
DTWD 4040G	40x40	RAL 7030 Grey	26x2 m.
DTWD 4060G	40x60	RAL 7030 Grey	18x2 m.
DTWD 4080G	40x80	RAL 7030 Grey	24x2 m.
DTWD 4010G	40x100	RAL 7030 Grey	20x2 m.
DTWD 6040G	60x40	RAL 7030 Grey	18x2 m.
DTWD 6060G	60x60	RAL 7030 Grey	24x2 m.
DTWD 6080G	60x80	RAL 7030 Grey	18x2 m.
DTWD 6010G	60x100	RAL 7030 Grey	12x2 m.
DTWD 8040G	80x40	RAL 7030 Grey	24x2 m.
DTWD 8060G	80x60	RAL 7030 Grey	16x2 m.
DTWD 8080G	80x80	RAL 7030 Grey	12x2 m.
DTWD 8010G	80x100	RAL 7030 Grey	8x2 m.
DTWD 1060G	100x60	RAL 7030 Grey	12x2 m.
DTWD 1080G	100x80	RAL 7030 Grey	10x2 m.
DTWD 1010G	100x100	RAL 7030 Grey	8x2 m.
DTWD 1260G	120x60	RAL 7030 Grey	8x2 m.
DTWD 1280G	120x80	RAL 7030 Grey	8x2 m.
DTWD 1210G	120x100	RAL 7030 Grey	8x2 m.

Wiring Duct Covers

Code	Dimension (mm)	Colour	Pack (piece)
DTWC 250	25	RAL 7030 Grey	10x2 m.
DTWC 400	40	RAL 7030 Grey	10x2 m.
DTWC 600	60	RAL 7030 Grey	10x2 m.
DTWC 800	80	RAL 7030 Grey	10x2 m.
DTWC 1000	100	RAL 7030 Grey	10x2 m.
DTWC 1200	120	RAL 7030 Grey	10x2 m.



*Different color options

Wire retainer

Code	Dimension (mm)	Colour	Pack (piece)
DTWD 4040 KT	40x40	Black	25
DTWD 4060 KT	40x60	Black	15
DTWD 4080 KT	40x80	Black	10
DTWD 4010 KT	40x100	Black	10
DTWD 6040 KT	60x40	Black	25
DTWD 6060 KT	60x60	Black	15
DTWD 6080 KT	60x80	Black	10
DTWD 6010 KT	60x100	Black	10
DTWD 8040 KT	80x40	Black	25
DTWD 8060 KT	80x60	Black	15
DTWD 8080 KT	80x80	Black	10
DTWD 8010 KT	80x100	Black	10
DTWD 1006 KT	100x60	Black	15
DTWD 1008 KT	100x80	Black	10
DTWD 1001 KT	100x100	Black	10
DTWD 1206 KT	120x60	Black	15
DTWD 1208 KT	120x80	Black	10
DTWD 1201 KT	120x100	Black	10



We have raised our quality on worldwide standards with () UL Certificate which is one of the most reputable quality certificates in the world.

WIRING DUCTS

Wiring Ducts

Code	Dimension (mm)	Colour	Pack (piece)
NS-DTWD 2525G	25x25	RAL 7030 Grey	60x2 m.
NS-DTWD 2540G	25x40	RAL 7030 Grey	50x2 m.
NS-DTWD 2560G	25x60	RAL 7030 Grey	30x2 m.
NS-DTWD 2580G	25x80	RAL 7030 Grey	24x2 m.
NS-DTWD 2510G	25x100	RAL 7030 Grey	16x2 m.
NS-DTWD 4025G	40x25	RAL 7030 Grey	40x2 m.
NS-DTWD 4040G	40x40	RAL 7030 Grey	26x2 m.
NS-DTWD 4060G	40x60	RAL 7030 Grey	18x2 m.
NS-DTWD 4080G	40x80	RAL 7030 Grey	24x2 m.
NS-DTWD 4010G	40x100	RAL 7030 Grey	20x2 m.
NS-DTWD 6040G	60x40	RAL 7030 Grey	18x2 m.
NS-DTWD 6060G	60x60	RAL 7030 Grey	24x2 m.
NS-DTWD 6080G	60x80	RAL 7030 Grey	18x2 m.
NS-DTWD 6010G	60x100	RAL 7030 Grey	12x2 m.
NS-DTWD 8040G	80x40	RAL 7030 Grey	24x2 m.
NS-DTWD 8060G	80x60	RAL 7030 Grey	16x2 m.
NS-DTWD 8080G	80x80	RAL 7030 Grey	12x2 m.
NS-DTWD 8010G	80x100	RAL 7030 Grey	8x2 m.
NS-DTWD 1060G	100x60	RAL 7030 Grey	12x2 m.
NS-DTWD 1080G	100x80	RAL 7030 Grey	10x2 m.
NS-DTWD 1010G	100x100	RAL 7030 Grey	8x2 m.
NS-DTWD 1260G	120x60	RAL 7030 Grey	8x2 m.
NS-DTWD 1280G	120x80	RAL 7030 Grey	8x2 m.
NS-DTWD 1210G	120x100	RAL 7030 Grey	8x2 m.



 (UL Certificate) an independent product safety certification institution, is a certificate issued to products that have passed safety tests and procedures, including many parameters.

demte

📍 Şekerpınar Mah. Ece Sok. No:3
Çayırova, Kocaeli / TÜRKİYE

☎ +90 534 581 11 81

✉ info@demte.com.tr

🌐 www.demte.com.tr



www.demte.com.tr